


DISTILLING APPARATUS • CONDENSERS

CONNECTED DISTILLING APPARATUS




Verbundener Destillationsapparat
Spojený destilační přístroj

Code	Length (mm)	SJ	Drawing	Packing (Pcs)
632 446 205 003	300	29/32	318	1
632 446 205 005	500	29/32	319	1

Notice: Borosilicate glass

CONDENSER LIEBIG




Liebig-Kühler
Chladič podle Liebiga

Code	Length (mm)	Drawing	Packing (pcs)
632 442 505 200	200	1289	1
632 442 505 300	300	1289	1
632 442 505 400	400	1289	1
632 442 505 500	500	1289	1
632 442 505 700	700	1289	1
632 442 505 990	1000	1289	1

Notice: Borosilicate glass

CONDENSER LIEBIG, SJ CONE AT THE BOTTOM



Liebig-Kühler mit NS-Kern unten
Chladič podle Liebiga s NZ dole

Code	Length (mm)	SJ	Drawing	Packing (pcs)
632 442 506 205	200	29/32	1283	1
632 442 506 305	300	29/32	1283	1
632 442 506 405	400	29/32	1283	1
632 442 506 705	700	29/32	1283	1
632 442 506 995	1000	29/32	1283	1

Notice: Borosilicate glass

CONDENSER LIEBIG, SJ CONE AND SOCKET

Liebig-Kühler mit NS-Kern und Hülse
Chladič podle Liebiga se dvěma NZ

Code	Length (mm)	SJ	Drawing	Packing (pcs)
632 442 507 165	160	29/32	1282/f	1
632 442 507 205	200	29/32	1282	1
632 442 507 255	250	29/32	1282/e	1
632 442 507 305	300	29/32	1282/a	1
632 442 507 405	400	29/32	1282/b	1
632 442 507 605	600	29/32	1282/g	1
632 442 507 705	700	29/32	1282/c	1
632 442 507 995	1000	29/32	1282/d	1

Notice: Borosilicate glass




Catalog number: 8252

CONDENSER LIEBIG, SJ CONE AND SOCKET AND SCREWS GL 14

Liebig Kühler mit NS-Kern und Hülse, mit Gewinden GL14
Chladič podle Liebiga se dvěma NZ a závity GL 14

Code	Length (mm)	SJ	Drawing	Packing (pcs)
632 442 503 162	160	14/23	2416.3 S	1
632 442 503 163	160	19/26	2417.3 S	1
632 442 503 165	160	29/32	2418.4 S	1
632 442 503 202	200	14/23	2416/a.3S	1
632 442 503 203	200	19/26	2417/a.3S	1
632 442 503 205	200	29/32	2418/a.4S	1
632 442 503 252	250	14/23	2416/b.3S	1
632 442 503 253	250	19/26	2417/b.3S	1
632 442 503 255	250	29/32	2418/b.4S	1
632 442 503 302	300	14/23	2416/c.3S	1
632 442 503 303	300	19/26	2417/c.3S	1
632 442 503 305	300	29/32	2418/c.4S	1
632 442 503 402	400	14/23	2416/d.3S	1
632 442 503 403	400	19/26	2417/d.3S	1
632 442 503 405	400	29/32	2418/d.4S	1

Notice: Borosilicate glass

**CONDENSER ALLIHN**

Allihn-Kühler (Kugelkühler)
Chladič podle Allihna

Code	Length (mm)	Drawing	Packing (pcs)
632 442 511 200	200	1248	1
632 442 511 300	300	1248	1
632 442 511 400	400	1248	1
632 442 511 600	600	1248	1


Notice: Borosilicate glass



Catalog number: 7114

CONDENSERS

CONDENSER ALLIHN, SJ CONE




Allihn-Kühler (Kugelkühler) mit NS-Kern
Chladič podle Allihna se zabroušeným jádrem

Code	Length (mm)	SJ	Drawing	Packing (pcs)
632 442 512 205	200	29/32	1284	1
632 442 512 305	300	29/32	1284	1
632 442 512 405	400	29/32	1284	1
632 442 512 605	600	29/32	1284	1

Notice: Borosilicate glass

CONDENSER ALLIHN, SJ CONE AND SOCKET




Allihn-Kühler (Kugelkühler) mit NS-Kern und Hülse
Chladič podle Allihna se dvěma NZ

Code	Length (mm)	SJ	Drawing	Packing (pcs)
632 442 513 165	160	29/32	1288.1	1
632 442 513 205	200	29/32	1288.1	1
632 442 513 255	250	29/32	1288.1	1
632 442 513 305	300	29/32	1288.1	1
632 442 513 405	400	29/32	1288.1	1
632 442 513 605	600	29/32	1288.1	1

Notice: Borosilicate glass

CONDENSER DIMROTH, SJ CONE



Dimroth-Kühler (Spiralkühler) mit NS-Kern
Chladič spirálový podle Dimrotha s NZ

Code	Length (mm)	SJ	Drawing	Packing (pcs)
632 442 516 205	200	29/32	1287	1
632 442 516 305	300	29/32	1287	1
632 442 516 405	400	29/32	1287	1
632 442 516 605	600	29/32	1287	1


Notice: Borosilicate glass

CONDENSER DIMROTH, SJ CONE AND SOCKET

Dimroth-Kühler (Spiralkühler) mit NS-Kern und Hülse
Chladič spirálový podle Dimrotha se dvěma NZ

Code	Length (mm)	SJ	Drawing	Packing (pcs)
632 442 517 165	160	29/32	1286	1
632 442 517 205	200	29/32	1286	1
632 442 517 255	250	29/32	1286	1
632 442 517 305	300	29/32	1286	1
632 442 517 405	400	29/32	1286	1
632 442 517 505	500	29/32	1286	1
632 442 517 605	600	29/32	1286	1


Notice: Borosilicate glass

**CONDENSER DIMROTH, SJ CONE AND SOCKET AND SCREWS GL 14**

Dimroth-Kühler (Spiralkühler) mit NS-Kern und Hülse, mit Gewinden GL14
Chladič podle Dimrotha se dvěma NZ a závity GL 14

Code	Length (mm)	SJ	Drawing	Packing (pcs)
632 442 524 162	160	14/23	2421 S	1
632 442 524 163	160	19/26	2420 S	1
632 442 524 165	160	29/32	2419 S	1
632 442 524 202	200	14/23	2421/a S	1
632 442 524 203	200	19/26	2420/a S	1
632 442 524 205	200	29/32	2419/a S	1
632 442 524 252	250	14/23	2421/b S	1
632 442 524 253	250	19/26	2420/b S	1
632 442 524 255	250	29/32	2419/b S	1
632 442 524 302	300	14/23	2421/c S	1
632 442 524 303	300	19/26	2420/c S	1
632 442 524 305	300	29/32	2419/c S	1
632 442 524 402	400	14/23	2421/d S	1
632 442 524 403	400	19/26	2420/d S	1
632 442 524 405	400	29/32	2419/d S	1


Notice: Borosilicate glass

**CONDENSER COIL**

Schlangenkühler
Chladič spirálový


Code	Length (mm)	Drawing	Packing (pcs)
632 442 515 200	200	3022	1
632 442 515 300	300	3022	1
632 442 515 400	400	3022	1

Notice: Borosilicate glass



CONDENSERS

CONDENSER COIL, SJ SOCKET




Schlangenkühler mit NS-Hülse
Chladič spirálový se zabroušeným pláštěm

Code	Length (mm)	SJ	Drawing	Packing (pcs)
632 442 519 305	300	29/32	1252	1
632 442 519 405	400	29/32	1252	1

Notice: Borosilicate glass

CONDENSER COIL, SJ CONE AND SOCKET




Schlangenkühler mit NS-Kern und Hülse
Chladič spirálový se dvěma NZ

Code	Length (mm)	SJ	Drawing	Packing (pcs)
632 442 529 162	160	14/23	3121/1	1
632 442 529 163	160	19/26	3121/2	1
632 442 529 165	160	29/32	3121	1
632 442 529 202	200	14/23	3121/1	1
632 442 529 203	200	19/26	3121/2	1
632 442 529 205	200	29/32	3121	1
632 442 529 252	250	14/23	3121/1	1
632 442 529 253	250	19/26	3121/2	1
632 442 529 255	250	29/32	3121	1
632 442 529 302	300	14/23	3121/1	1
632 442 529 303	300	19/26	3121/2	1
632 442 529 305	300	29/32	3121	1
632 442 529 402	400	14/23	3121/1	1
632 442 529 403	400	19/26	3121/2	1
632 442 529 405	400	29/32	3121	1
632 442 529 602	600	14/23	3121/1	1
632 442 529 603	600	19/26	3121/2	1
632 442 529 605	600	29/32	3121	1

Notice: Borosilicate glass

CONDENSER COIL, SJ CONE AND SOCKET AND SCREWS GL 14



Schlangenkühler mit NS-Kern und Hülse, mit Gewinden GL14
Chladič spirálový se dvěma NZ a závity GL 14

Code	Length (mm)	SJ	Drawing	Packing (pcs)
632 442 522 162	160	14/23	2531	1
632 442 522 163	160	19/26	2532	1
632 442 522 165	160	29/32	2533	1
632 442 522 252	250	14/23	2531/a	1
632 442 522 253	250	19/26	2532/a	1
632 442 522 255	250	29/32	2533/a	1
632 442 522 402	400	14/23	2531/b	1
632 442 522 403	400	19/26	2532/b	1
632 442 522 405	400	29/32	2533/b	1

Notice: Borosilicate glass


CONDENSER - COMBINED

Kühler - kombiniert

Chladič - kombinovaný

Code	Length (mm)	SJ	Drawing	Packing (pcs)
632 442 405 202	200	14/23	2662.1	1
632 442 405 305	300	29/32	2662.1	1
632 442 405 405	400	29/32	2662.1	1
632 442 405 505	500	29/32	2662.1	1

Notice: Borosilicate glass




CHROMATOGRAPHY-COLUMN WITH INDENTATIONS AND STOPCOCK WITH PTFE KEY

Chromatographie-Säule mit Einstichen und Hahn mit PTFE Küken

Chromatografická kolona se zápíchy a s kohoutem s teflonovým kladívkem

Code	Capacity (ml)	Inside diameter (mm)	Total length (mm)	Stopcock size (mm)	Drawing	Packing (pcs)
632 449 040 015	15	10	200	12.5	4425	1
632 449 040 035	35	15	200	12.5	4426	1
632 449 040 070	70	15	400	12.5	4427	1
632 449 040 125	125	20	400	12.5	4428	1
632 449 040 430	430	30	600	12.5	4429	1
632 449 040 999	1000	40	800	12.5	4430	1

Notice: Borosilicate glass




CHROMATOGRAPHY-COLUMN WITH INDENTATIONS AND SJ SOCKET, WITH STOPCOCK WITH PTFE KEY

Chromatographie-Säule mit Einstichen und NS Hülse, mit Hahn und PTFE Küken

Chromatografická kolona se zápíchy a s NZ zábrusem, s kohoutem s teflonovým kladívkem


Code	Capacity (ml)	Inside diameter (mm)	Total length (mm)	Stopcock size (mm)	Socket size (mm)	Drawing	Packing (pcs)
632 449 041 015	15	10	200	12.5	14/23	4431	1
632 449 041 035	35	15	200	12.5	14/23	4432	1
632 449 041 070	70	15	400	12.5	14/23	4433	1
632 449 041 125	125	20	400	12.5	29/32	4434	1
632 449 041 430	430	30	600	12.5	29/32	4435	1
632 449 041 999	1000	40	800	12.5	29/32	4436	1

Notice: Borosilicate glass



CHROMATOGRAPHY COLUMNS

CHROMATOGRAPHY-COLUMN WITH SINTERED GLASS DISC (POROSITY 0) AND STOPCOCK WITH PTFE KEY




Chromatographie-Säule mit Fritte (Porosität 0) und Hahn mit PTFE Küken

Chromatografická kolona s fritou (porozita 0) a s kohoutem s teflonovým kladivkem

Code	Capacity (ml)	Inside diameter (mm)	Total length (mm)	Stopcock size (mm)	Drawing	Packing (pcs)
632 449 042 015	15	10	200	12.5	4437	1
632 449 042 035	35	15	200	12.5	4438	1
632 449 042 070	70	15	400	12.5	4439	1
632 449 042 125	125	20	400	12.5	4440	1
632 449 042 430	430	30	600	12.5	4441	1
632 449 042 999	1000	40	800	12.5	4442	1

Notice: Borosilicate glass

CHROMATOGRAPHY-COLUMN WITH SINTERED GLASS DISC (POROSITY 0) AND SJ SOCKET AND STOPCOCK WITH PTFE KEY




Chromatographie-Säule mit Fritte (Porosität 0) und NS Hülse und Hahn mit PTFE Küken

Chromatografická kolona s fritou (porozita 0), s NZ zábrusem a s kohoutem s teflonovým kladivkem

Code	Capacity (ml)	Inside diameter (mm)	Total length (mm)	Stopcock size (mm)	Socket size (mm)	Drawing	Packing (pcs)
632 449 043 015	15	10	200	12.5	14/23	4443	1
632 449 043 035	35	15	200	12.5	14/23	4444	1
632 449 043 070	70	15	400	12.5	14/23	4445	1
632 449 043 125	125	20	400	12.5	29/32	4446	1
632 449 043 430	430	30	600	12.5	29/32	4447	1
632 449 043 999	1000	40	800	12.5	29/32	4448	1

Notice: Borosilicate glass

CHROMATOGRAPHY-COLUMN WITH SINTERED GLASS DISC (POROSITY 0) AND SJ SOCKET, STOPCOCK WITH PTFE KEY AND CONE WITH GL 18



Chromatographie-Säule mit Fritte (Porosität 0) und NS Hülse, Hahn mit PTFE Küken und Kern mit GL 18

Chromatografická kolona s fritou (porozita 0), s NZ zábrusem, s kohoutem s teflonovým kladivkem a jádrem s GL 18

Code	Capacity (ml)	Inside diameter (mm)	Total length (mm)	Stopcock size (mm)	Socket/cone size (mm)	Drawing	Packing (pcs)
632 449 044 035	35	15	200	12.5	14/23	4449	1
632 449 044 070	70	15	200	12.5	14/23	4450	1
632 449 044 125	125	20	400	12.5	29/32	4451	1
632 449 044 280	280	30	400	12.5	29/32	4452	1
632 449 044 430	430	30	600	12.5	29/32	4453	1

Notice: Borosilicate glass